



STATIONARY KIDNEY LOOP SYSTEM  
MOUNTED ON A HEAVY DUTY PANEL WITH  
WELDING RAILS FOR FLEXIBILITY.

CONFIGURATION ALLOWS EASY  
CUSTOMIZATION.

- FLOW RATE: 3-30 GPM (11.5-113 LPM)
- VOLTAGE: 115<sup>1</sup>/<sub>230</sub> 1 PH or 230<sup>3</sup>/<sub>460</sub> VAC 3PH
- VISCOSITY: UP TO 1050 CST (5000 SUS)
- MAX PRESSURE: 100 PSI (7 BAR)
- OPERATING TEMPERATURE: 40°F TO 200°F (-40°C TO 93°C)
- BYPASS VALVE SETTING: 65 PSI
- COMPATIBILITY: ANY FLUID COMPATIBLE WITH VITON®
- WEIGHT: VARIES BY SIZE
- DIMENSIONS: VARIES BY SIZE

FEATURES

- PANEL MOUNT KIDNEY LOOP
- MULTIPLE RATE FLOW OPTIONS
- MULTIPLE VOLTAGE OPTIONS
- PALL HIGH EFFICIENCY FILTER
- ONE EYE MAGNETIC SCRUBBER
- HEAVY DUTY GEAR PUMP